

	Measure 0210: Proportion of patients who died from cancer receiving chemotherapy in the last 14 days of life (American Society of Clinical Oncology)
Description	Proportion of patients who died from cancer receiving chemotherapy in the last 14 days of life
Numerator	Patients who died from cancer and received chemotherapy in the last 14 days of life
Numerator Details	Claims: see attached chemotherapy code set. Registry: Date of death – date of last chemotherapy administration <= 14 days
Denominator	Patients who died from cancer.
Denominator Details	Claims: Patients in the death registry with cancer as their cause of death. In the cited analyses by the measure submitter, this is a field in the cancer registry or denominator file not requiring specific codes. This may be different in other administrative data sets. Registry: Deceased = Yes, patient is deceased as a consequence of his/her cancer or cancer treatment.
Exclusions	None
Exclusion details	None
Risk Adjustment	No risk adjustment or risk stratification
Stratification	Not applicable
Type	Process
Type of Score	Rate/proportion
Data Source	Claims, Registry Data
Level	Clinician : Group/Practice
Setting	Home Care, Inpatient/Hospital, Outpatient Services

Created on: 07/17/2020 at 02:30 AM

Measure 0213: Proportion of patients who died from cancer admitted to the ICU in the last 30 days of life (American Society of Clinical Oncology)	
Description	Proportion of patients who died from cancer admitted to the ICU in the last 30 days of life
Numerator	Patients who died from cancer and were admitted to the ICU in the last 30 days of life
Numerator Details	<p>MEDPAR only: did not include SNF claims did not include pediatric, psychiatric, burn or trauma ICUs (MEDPAR variable incremented 3,4,7,8)</p> <ul style="list-style-type: none"> • variable in MEDPAR called inccrdays, which is number of ICU days per visit • used hospital admission date variable (admitdate) and then checked if inccrdays was >0 for admissions occurring in the last 30 days before death
Denominator	Patients who died from cancer
Denominator Details	Claims:Patients in the death registry with cancer as their cause of death. In the cited analyses by the measure submitter, this is a field in the cancer registry or denominator file not requiring specific codes. This may be different in other administrative data sets.
Exclusions	None
Exclusion details	Not applicable
Risk Adjustment	No risk adjustment or risk stratification
Stratification	Not applicable
Type	Outcome: Intermediate Clinical Outcome
Type of Score	Rate/proportion
Data Source	Claims, Registry Data
Level	Clinician : Group/Practice
Setting	Home Care, Inpatient/Hospital, Outpatient Services

Created on: 07/17/2020 at 02:30 AM

Measure 0215: Proportion of patients who died from cancer not admitted to hospice (American Society of Clinical Oncology)	
Description	Proportion of patients who died from cancer not admitted to hospice
Numerator	Proportion of patients not enrolled in hospice
Numerator Details	Claims: Those without claims in Medicare HOSPICE file. No codes used. Registry: Hospice Enrollment = No
Denominator	Patients who died from cancer.
Denominator Details	Claims: Patients in the death registry with cancer as their cause of death. In the cited analyses by the measure submitter, this is a field in the cancer registry or denominator file not requiring specific codes. This may be different in other administrative data sets. Registry: Deceased = Yes, patient is deceased as a consequence of his/her cancer or cancer treatment
Exclusions	None
Exclusion details	Not applicable
Risk Adjustment	No risk adjustment or risk stratification
Stratification	Not applicable
Type	Process
Type of Score	Rate/proportion
Data Source	Claims, Registry Data
Level	Clinician : Group/Practice
Setting	Home Care, Inpatient/Hospital, Outpatient Services

Created on: 07/17/2020 at 02:30 AM

Measure 0216: Proportion of patients who died from cancer admitted to hospice for less than 3 days (American Society of Clinical Oncology)	
Description	Proportion of patients who died from cancer, and admitted to hospice and spent less than 3 days there
Numerator	Patients who died from cancer and spent fewer than three days in hospice.
Numerator Details	<p>Claims: Medicare HOSPICE file only: Subtracted hospice admission date (admndate) from death date variable to get hospice length of stay.</p> <p>Registry: Date of Death – Hospice Enrollment Date <= 3 days</p>
Denominator	Patients who died from cancer who were admitted to hospice
Denominator Details	<p>Claims: Patients in the death registry with cancer as their cause of death who also appear in the Medicare hospice file. In the cited analyses by the measure submitter, this is a field in the cancer registry or denominator file not requiring specific codes. This may be different in other administrative data sets.</p> <p>Registry: Deceased = Yes, patient is deceased as a consequence of his/her cancer or cancer treatment AND Hospice Enrollment = Yes</p>
Exclusions	None
Exclusion details	Not applicable
Risk Adjustment	No risk adjustment or risk stratification
Stratification	Not applicable
Type	Outcome: Intermediate Clinical Outcome
Type of Score	Rate/proportion
Data Source	Claims, Registry Data
Level	Clinician : Group/Practice
Setting	Home Care, Inpatient/Hospital, Outpatient Services

Created on: 07/17/2020 at 02:30 AM