

THE NATIONAL QUALITY FORUM

Influenza and Pneumococcal Immunization Measures

Measure Number	Title	Description	IP Owner
	Submitted Measures		
IM-001-07	Percent of Long-Stay Residents Given Influenza Vaccination During the Flu Season	Percent of eligible and willing long-stay (chronic care) nursing home residents who were vaccinated during the influenza season (October 1 through March 31).	Centers for Medicare and Medicaid Services
IM-002-07	Percent of Short-Stay Residents Given Influenza Vaccination During the Flu Season	Percent of eligible and willing short-stay (post-acute care) nursing home residents who were vaccinated during the influenza season (October 1 through March 31).	Centers for Medicare and Medicaid Services
IM-003-07	Percent of long-stay residents who were assessed and given pneumococcal vaccination	Percent of eligible and willing long-stay (chronic care) nursing home residents with an up-to-date pneumococcal vaccination	Centers for Medicare and Medicaid Services
IM-004-07	Percent of short-stay residents who were assessed and given the pneumococcal vaccination	Percent of eligible and willing short-stay (post-acute care) nursing home residents with an up-to-date pneumococcal vaccination	Centers for Medicare and Medicaid Services
IM-005-07	Community-Acquired Bacterial Pneumonia: Assessment of Influenza Immunization Status	Percentage of patients who were assessed for influenza immunization status	American Medical Association - Physician Consortium for Performance Improvement
IM-006-07	Community-Acquired Bacterial Pneumonia: Assessment of Pneumococcus Immunization Status	Percentage of patients who were assessed for pneumococcus immunization status	American Medical Association - Physician Consortium for Performance Improvement
IM-007-07	Chronic Kidney Disease: Influenza Immunization	Percentage of patients aged 18 years and older with the diagnosis of advanced CKD (stage 4 or 5, not receiving RRT), who received the influenza immunization during the flu season (September through February)	American Medical Association - Physician Consortium for Performance Improvement
IM-008-07	Chronic Obstructive Pulmonary Disease (COPD) Assessment of Pneumococcus Immunization Status	Percentage of patients aged 18 years and older with a diagnosis of COPD who were assessed for pneumococcus immunization status	American Medical Association - Physician Consortium for Performance Improvement
IM-009-07	Chronic Obstructive Pulmonary Disease (COPD) Recommendation of Influenza Immunization	Percentage of patients aged 18 years and older with the diagnosis of COPD who were recommended to receive an influenza immunization annually	American Medical Association - Physician Consortium for Performance Improvement
IM-010-07	Chronic Obstructive Pulmonary Disease (COPD) Influenza Immunization Administered	Percentage of patients aged 18 years and older with the diagnosis of COPD who received an influenza immunization during the current flu season	American Medical Association - Physician Consortium for Performance Improvement

Measure Number	Title	Description	IP Owner
IM-011-07	Pneumonia Vaccination	Percentage of patients for whom a pneumococcal immunization was administered at least once since diagnosis of HIV infection.	National Committee for Quality Assurance
IM-012-07	Universal Influenza Vaccine Screening and Counseling	Percentage of patients aged 50 years and older that were screened and counseled about the influenza vaccine during the months of January, February, March, October, November, and December.	Centers for Medicare and Medicaid Services
IM-013-07	Chronic Obstructive Pulmonary Disease (COPD) Pneumococcus Immunization Administered	Percentage of patients aged 18 years and older with a diagnosis of COPD who received a pneumococcus immunization	American Medical Association - Physician Consortium for Performance Improvement
IM-014-07	Influenza Immunization	Percentage of patients aged 6 months and older for whom an influenza immunization was administered or documented to have been previously received within the past 12 months.	National Committee for Quality Assurance
IM-015-07	Influenza Vaccination of all Healthcare Personnel	Percentage of healthcare personnel who receive the influenza vaccination.	Centers for Disease Control and Prevention
	NQF-Endorsed Measures		
0039	Flu shots for Adults Ages 50-64	Percentage of patients age 50-64 who report having received an influenza vaccination during the past influenza vaccination season	National Committee for Quality Assurance
0040	Flu Shot for Older Adults	Percentage of patients age 65 and over who received an influenza vaccination from September through December of the year	National Committee for Quality Assurance
0041	Influenza Vaccination	Percentage of patients who received an influenza vaccination	American Medical Association
0042	Pneumococcal vaccine needed for all adults aged 65 years or older	Percentage of adults aged 65 to 67 years who have received an pneumococcal vaccine	Resolution Health, Inc.
0043	Pneumonia vaccination status for older adults	The percentage of Medicare patients 65 years of age and older who ever received a pneumococcal vaccination	National Committee for Quality Assurance
0044	Pneumonia Vaccination	Percentage of patients who ever received a pneumococcal vaccination	National Committee for Quality Assurance Centers for Medicare and Medicaid Services
0157	Influenza vaccination	Percentage of patients discharged during October, November, December, January, or February with pneumonia, age 50 and older, who were screened for influenza vaccine status and were vaccinated prior to discharge, if indicated	The Joint Commission Centers for Medicare and Medicaid Services
0158	Pneumococcal vaccination	Percentage of patients with pneumonia, age 65 and older, who were screened for pneumococcal vaccine status and were	The Joint Commission Centers for Medicare and Medicaid

Measure Number	Title	Description	IP Owner
		vaccinated prior to discharge, if indicated	Services
0228	Pneumococcal polysaccharide vaccination of residents age 65 or older	Percentage of nursing home residents who are screened for eligibility for pneumococcal vaccine status within 30 days of admission and are either not eligible or are eligible and receive the vaccination.	Centers for Disease Control and Prevention
0229	Influenza vaccination for all nursing home residents	Percentage of nursing home residents who are screened for eligibility for influenza vaccine status and are either not eligible, or are eligible and receive the vaccine.	Centers for Disease Control and Prevention
0267	Influenza Vaccination in the ESRD Population- Facilities	Percentage of all ESRD patients aged 18 years and older receiving hemodialysis and peritoneal dialysis during the flu season (October 1 - March 31) who receive an influenza vaccination during the October 1 - March 31 reporting period.	Kidney Care Quality Alliance
0268	Influenza Immunization	Percentage of patients aged 18 years and older with a diagnosis of ESRD and receiving dialysis who received the influenza immunization during the flu season (September through February)	American Medical Association - Physician Consortium for Performance Improvement